

# FLOORING

Nº. 24

**ELESGO**<sup>®</sup> *floor*

ASSURED  
EXCLUSIVE COMFORT



**HDM**

# Contents

Production plants	3
Decor overview	4 – 5
Introduction	6
ELESGO®-Technology	7
Surfaces and formats	8 – 9
Characteristics and product information	10 – 11
Product introduction Contour	12 – 13
Contour floor Rounded Bevel	14 – 15
Contour floor Round edge	16 – 17
Product introduction Supergloss	18 – 19
Supergloss floor Round edge extra sensitive	20 – 23
Superglanz floor Maxi V5	24 – 25
Supergloss floor Flat edge	26 – 27
Product introduction Wellness	28 – 29
Wellness floor Long format V4 XL	30 – 31
Wellness floor Maxi V4	32 – 33
Wellness floor Maxi V5	34 – 35
Wellness floor Flat edge	36 – 39
Product introduction Limited Edition	40 – 41
Limited Edition V4	42 – 45
Limited Edition Flat edge	46 – 49
Moulding collection	52 – 62
Fixings systems	63
Underlay and Accessories	64 – 65
Product Overview Flooring profiles	66 – 69
Flooring profiles	70
Protection and Repair	71

# Tradition and innovation



Headquarters Moers




Production plants in Möckern



## Cool and modern



Carrara white



Valley oak white



Antique white



Vintage white



Colorado



Antique pine



Concrete



Salina



Juparana



Diamond oak

## Warm and cosy



German oak



Golden maple



Summer oak



Oak full plank



Sessile oak



Chesnut



Mammoth oak



Tobacco oak




Amber oak



Western oak



Walnut



Copper



Merbau Classic



Rio Palisander



Barolo oak

## Dark and elegant



Pine



Silver oak



Valley oak grey



Walnut Virginia



Windsor dark



Rembrandt



Moor oak



Metallic grey



Slate



Freestone



Satin oak



Valley oak nature



Oxford light



Nostalgic grey oak



Grey oak



Nordic oak



Elm light



Nostalgic natural oak



Windsor light



Castle oak



Carbonized bamboo



Oriental oak



Tower oak



Walnut



Canyon mountain walnut



Walnut 3-strip



Mountain cherry



Plateau Merbau



Cumaru



Wenge



Elm



Vulcano




Pott oak




Black Pearl


## Colours for every application



Color white Arktis



Color white




Color grey



Color ELESKO red




Blue night



Purple



Chocolate



Color black



Emission testing environmental certificate




Product quality permanent surveillance



Certified according ISO 9001:2008



Dartsch Scientific



German institute of Construction Technology



Made in Germany

**Different from the start**

The patented manufacturing process, produced with high quality EPL-Laminate, is not only environmentally friendly, it is also the basis of the great ELESKO® floors which have many positive qualities.

**Different optically**

„Almost better than the real thing“, reads the title of several press reports about the incomparable, captivatingly clear and detailed looks of ELESKO® floor in both wood and stone designs.

**Different to work with**

With arguably the best joints in the world, the ELESKO® floors are installed quickly and problem-free. Tools are no longer needed for laying the surface, apart from around the edges of corners or offsets.

**Different in everyday life**

The high density of all surface structures, as well as the anti-static properties of ELESKO® floors ensure that microscopic particles cannot collect on the surface and that dust can be easily removed. A damp cotton cloth is enough to get rid of more stubborn dirt.

# More about the **ELESGO®** technology



Product characteristics	<b>ELESGO®</b> (Electron beam hardened surface)	Electron beam hardened lacquers	UV hardened lacquers	Melamin surfacing
Haptic/Feeling	very warm	soft, warm	soft, warm	cold
Chemical stability	very high	higher	high	high
Scratch resistance	extremely high	very high	high	high
Micro scratch resistance	extremely high	very high	high	high
Gloss grade (high gloss)	all gloss levels	selected gloss levels	difficult	very difficult
UV stability (Colour fastness under influence of the sun)	extremely high	very high	high	low
Brittleness (Danger of chipping on impact)	non existant	negligible	minimal	high
Interlacing (Quality characteristic for lacquer hardening)	absolutely complete	complete	not complete	not employed

In the innovative technology, the papers used (decor papers or print base papers) are first of all impregnated. Immediately after impregnation and without intermediate curing or drying, a multi-layer coating of electron beam-curing acrylate resins is applied. These are absolutely free from solvents and formaldehyde.

A special foil (release foil) for producing a structured effect is applied to the top lacquer layer and, by means of a precisely controlled electron beam, both the coatings and the impregnation are cured without the application of heat and pressure. After completion of curing, the release foil is removed or can be left on the surface as a pre-protective foil.



By the use of different types of release foil, we produce different degrees of gloss, ranging from dull matt to high gloss, and also various three-dimensional structures.

As a result of the complete cross-linkage, perfectly closed surface structures can be achieved which, in addition to having excellent scratchproof properties, are also highly resistant to the effects of water and chemicals, a factor which also makes them extremely easy to clean.

By means of acrylic resins, it is possible to reproduce even the smallest nuances of the various decor prints used. The brilliant effect of the reproduction, above all in the high-gloss segment, is absolutely unique, especially with dark decors. But also the haptic effect – the feeling experienced by touching the surface – is something very special.

The surfaces feel warm and pleasant to the touch, owing to the low degree of thermal conductivity of the acrylic resins used.

# Surfaces one would love to touch




micro P  
Pearl

wood T  
Texture

Deep Emotions – Optical deep wood grain with a smooth surface (M.P.)

The fine wooden texture (W.T.)



seiden M  
Matt

real S  
Structure

double F  
Finish

The natural satin surface (S.M.)

The real to life wood structure (R.S.)

The matt-shine mélange (D.F.)



super C  
Comfort

real P  
Pearl

super G  
Glanz

The soft fine matt surface (wood effect as oiled) (S.C.)

The tastefully harmonize pearl structure (R.P.)

The elegant supergloss surface (S.G.)



**Wellness:**  
Long format V4 XL

**Limited Edition:**  
Flat edge

**Supergloss:**  
Round bevel eS

**Limited Edition:**  
V4



**Wellness:**  
Maxi V4

**Supergloss:** **Wellness:**  
Maxi V5      Maxi V5

**Contour:**      **Wellness:**  
Round bevel      Flat edge  
Round edge

# Outstanding properties of an incomparable floor



High-tech sound reduction. The honey-comb structure on the reverse side of the plank changes the acoustics enormously. Sound waves bounce off the opposite walls of the structure, are broken down and sound is absorbed. At the same time, the pitch of the sound is reduced into a comfortable low frequency. The perceived foot step sound is reduced by 50%. Wellness floor is 10dB quieter when compared to common laminate flooring. Only through this intelligent construction can one keep the thickness of flooring to a minimum to enable the construction or renovation of buildings with ease.



With the extra sensitive range a core material has been developed whose Formaldehyde concentration falls far short of the precautionary limit set by the World Health Organisation (WHO). An inspection certificate from an independent German institute proves that the Formaldehyde concentration of extra sensitive floors is under 0,005 ppm.



All four edges of the elements are treated with a special coating. This coating is an added edge protection against any potential water penetration.



Aqua protection: this patented profile and edge sealing system offers a high level of security and protection from humidity, temperature changes and water in the edges, grooves and flooring.




Antistatic and antibacterial. The use of special raw materials ensures that the floors have these special features. Experimentation and tests confirm the antistatic properties of ELESKO® floor and provide additional security.



A pleasant walking experience is important for a comfortable atmosphere. The floor feels pleasantly warm and has no plastic feel.



The rounded longitudinal edges give this flooring a distinguished look. These softly rounded edges are made of the same laminate as the surface. Thus the design continues in an authentic manner, seamlessly from floorboard to floorboard, as it does with real wood floorboards.



The continuously surfaced round beveled long edges is the highlight in this product. The round beveled edges are surfaced with the same material as the surface and the design flows from one plank to another. An important point to make is that the surface on the round beveled edge is just a robust and hardwearing as the surface.




The classic flat-edge creates a solid and endless surface appearance which gives the room a broad and tranquil atmosphere




The real V-Groove give the floor a natural and classic floorboard character. The V-Grooves in contrasting colours make the floor structured and impressive.

## The characteristics



Antistatic



Easy to clean



Wear resistant / Pressure resistant




Cigarette burn resistant




Hygienic




Light fastness in normal room conditions  $\geq 6$  ref: ISO 105



Resistant to stains and household chemicals




Ideal for office chairs with soft wheels



Reinstallable



Fire retardant tested DIN 4102




E1-quality



The sub-floor surface temperature in contact with the flooring should be not higher than 28° C

# Product composition **ELESGO®** floor



## Interesting facts

	<p>For use in the living area</p> <p><b>20 Year Guarantee</b></p> <p>according to the terms and conditions</p>	<p>7,7 mm 0,30 inch</p> <p>Thickness</p>	<p>Classification <b>President</b></p> <p>for residential areas with intensive foot traffic</p> <p>for commercial areas with medium foot traffic</p>			
	<p>For use in the living area</p> <p><b>20 Year Guarantee</b></p> <p>according to the terms and conditions</p>	<p>7,0 mm 0,28 inch</p> <p>Thickness</p>	<p>7,7 mm 0,30 inch</p> <p>Thickness</p>	<p>8,7 mm 0,34 inch</p> <p>Thickness</p>	<p>Classification <b>President</b></p> <p>for residential areas with intensive foot traffic</p> <p>for commercial areas with medium foot traffic</p>	
	<p>For use in the living area</p> <p><b>20 Year Guarantee</b></p> <p>according to the terms and conditions</p>	<p>7,7 mm 0,30 inch</p> <p>Thickness</p>	<p>10,0 mm 0,39 inch</p> <p>Thickness</p>	<p>Classification <b>President</b></p> <p>for residential areas with intensive foot traffic</p> <p>for commercial areas with medium foot traffic</p>		
<p><b>Limited Edition</b></p>	<p>For use in the living area</p> <p><b>15 Year Guarantee</b></p> <p>according to the terms and conditions</p>	<p>7,0 mm 0,28 inch</p> <p>Thickness</p>	<p>8,0 mm 0,32 inch</p> <p>Thickness</p>	<p>10,0 mm 0,39 inch</p> <p>Thickness</p>	<p>Classification <b>President</b></p> <p>for residential areas with intensive foot traffic</p> <p>for commercial areas with medium foot traffic</p>	 

**CONTOUR**

- always „First Ligue“ -

# Rounded bevel – The natural flooring

Universally beautiful, robust and unique. The rounded bevel flooring is a technological refinement that captivates one not only by its looks, but also by the warm and comfortable feeling.



# Round edge – Harmonious design

Contour round edge gives the surface a solid wood look.  
The rounded long edges makes every room look spacious and complete.



# Deep Emotion – Sensible surface

Deep Emotions stands for a fascinating combination of two senses: haptic (feel) and optic (vision). Under the fine micro pearl surface, the deep wood grain appears natural and the flooring feels comfortably warm. Through the three dimensional optic, the room gains character and vivacity. The intelligent combination of an optical deep wood grain under a smooth surface is unique and ELESKO floor in a new light.





**Rounded bevel –  
continuously surfaced**



Decor: Barolo oak



Vintage white

 S.M.  
10,7 mm

 Art. No. 772901  
Art. No. 773301


Walnut Virginia

 S.M.  
10,7 mm ❶

 Art. No. 772905  
Art. No. 773305


Diamond oak

 S.M.  
10,7 mm

 Art. No. 772908  
Art. No. 773308


Chesnut

 W.T.  
10,7 mm ❶

 Art. No. 774955  
Art. No. 773455


Satin oak

 S.M.  
10,7 mm

 Art. No. 772902  
Art. No. 773302


Mammoth oak

 S.M.  
10,7 mm.

 Art. No. 772907  
Art. No. 773307


Nordic oak

 S.M.  
10,7 mm. ❶

 Art. No. 772904  
Art. No. 773304


Walnut

 W.T.  
10,7 mm ❶

 Art. No. 774975  
Art. No. 773475

❶ Only on request!



Amber oak

 S.M.  
10,7 mm

 Art. No. 772903  
Art. No. 773303


Barolo oak

 S.M.  
10,7 mm ❶

 Art. No. 772906  
Art. No. 773306

Dimensions:	mm	inch
Length:	1184	46,61
Width:	185	7,28
Thickness:	7,7	0,30
	10,7	0,42

**Contents of packet:**

 9 Pcs. = 1,97 m<sup>2</sup> / 21,20 sq ft

Packing unit = 48 packets

 6 Pcs. = 1,31 m<sup>2</sup> / 14,10 sq ft


Packing unit = 60 packets

**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic

including sound absorbing system





# Round edge – The perfect plank



*Oxford light*

*M.P. 10,7 mm*

*Art. No. 773601*



*Windsor light*

*M.P. 10,7 mm*

*Art. No. 773602*



*Windsor dark*

*M.P. 10,7 mm*

*Art. No. 773603*





Antique white

R.S.

Art. No. 772511



Sessile oak

W.T.

Art. No. 774573



Satin oak

R.S.

Art. No. 772529



oriental oak

R.S.

Art. No. 772501



Antique pine

R.S.

Art. No. 772532



Pine

R.S.

Art. No. 772503



Diamond oak

W.T.

Art. No. 774502



Silver oak

R.S.

Art. No. 772541



Nordic oak

R.S.

Art. No. 772502



German oak

R.S.

Art. No. 772504

<b>Dimensions:</b>	mm	inch
Length:	1184	46,61
Width:	185	7,28
Thickness:	7,7	0,30
	10,7	0,42


**Contents of packet:**  
 9 Pcs. = 1,97 m<sup>2</sup> / 21,20 sq ft  
 Packing unit = 48 packets  
 6 Pcs. = 1,31 m<sup>2</sup> / 14,10 sq ft  
 Packing unit = 60 packets

**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic

including sound absorbing system



# SUPERGLOSS

– always „High End“ –

## Round edge – The elegant plank

The supergloss plank combines high quality with a unique high gloss surface. The rounded long edges creates a soft and harmonious transition from plank to plank.



I am convinced about the quality and would only buy „extra sensitive“ products.

(Dr. rer. nat. Martin Erben/Rheurdt)



**ANTISTATIC**  
Protection



**NATURAGRIP**  
Natural - feeling



**WELLNESS**  
Laminopax - System



**EXTRA**  
Sensitive



**AQUA**  
Protection



A close-up photograph of a dark, wood-grain patterned tile. The tile has a prominent V-groove running down its center, creating a realistic joint. The surface is highly reflective, showing a 'Supergloss' finish.

# Maxi V5 – large tile format

The board with a width of 32 cm and a V-groove milled across the centre makes the Supergloss Maxi V5 the most realistic tile format in high gloss.

A close-up photograph of a grey, wood-grain patterned tile. Similar to the Maxi V5, it features a V-groove down the center and a highly reflective 'Supergloss' surface.


# V5 – small tile format

A V-groove milled across the centre of the plank with a standard width. This together with the Supergloss surface gives the tile format a quaint look.

A close-up photograph of a wood-grain plank with a natural, flowing pattern. The surface is smooth and highly reflective, giving it a 'Supergloss' appearance.

# Flat edge – exclusive flowing look

The classic flat edge flooring with a flowing Supergloss surface gives an atmosphere of calm and serenity in the room.



**Round edge -  
outright super gloss**

Decor: Color white



Valley oak white

S.G.

Art. No. 772368



Antique white

S.G.

Art. No. 772301



Colorado

S.G.

Art. No. 772344



Satin oak

S.G.

Art. No. 772329



Valley oak nature S.G. Art. No. 772367



Oriental oak S.G. Art. No. 772347



Diamond oak S.G. Art. No. 772311



Tobacco oak S.G. Art. No. 772343



Elm light S.G. Art. No. 772335



Amber oak S.G. Art. No. 772312



Nostalgic natural oak S.G. Art. No. 772309



Summer oak S.G. Art. No. 772325

<b>Dimensions:</b>	mm	inch
Length:	1294	50,95
Width:	185	7,28
Thickness:	8,7	0,34


**Contents of packet:**  
 8 Pcs. = 1,92 m<sup>2</sup> / 20,67 sq ft  
 Packing unit = 48 packets

**Classification President**

for residential areas with intensive foot traffic      for commercial areas with medium foot traffic

including sound absorbing system

**Cross section of the Round edge**





Canyon mountain walnut S.G. Art. No. 772375



Mountain cherry S.G. Art. No. 772320



Walnut S.G. Art. No. 772322



Rio Palisander S.G. Art. No. 772321



Wenge S.G. Art. No. 772326



Metallic grey S.G. Art. No. 772305




Moor oak S.G. Art. No. 772328



Blue Night ❶ S.G. Art. No. 772302



Pott oak S.G. Art. No. 772342




Violette ❶ S.G. Art. No. 772304




Color white Arktis S.G. Art. No. 772331



Chocolate ❶ S.G. Art. No. 772303



Color white S.G. Art. No. 772316



Color black S.G. Art. No. 772315



Color grey S.G. Art. No. 772317



Color elesgo red S.G. Art. No. 772314

❶ Only on request!

Dimensions:	mm	inch
Length:	1294	50,95
Width:	185	7,28
Thickness:	8,7	0,34


**Contents of packet:**  
 8 Pcs. = 1,92 m<sup>2</sup> / 20,67 sq ft  
 Packing unit = 48 packets

**Classification President**

for residential areas with intensive foot traffic      for commercial areas with medium foot traffic

including sound absorbing system


Cross section of the Round edge




For use in the living area  
**20 Year Guarantee**  
 according to the terms and conditions



**Maxi V5 –  
realistic tile format**








Color white Arktis S.G. Art. No. 772631



Juparana S.G. Art. No. 772607



Color white S.G. Art. No. 772616



Freestone S.G. Art. No. 771012




Carrara white S.G. Art. No. 772617




Black Pearl S.G. Art. No. 772606



Salina S.G. Art. No. 772661



Color black S.G. Art. No. 772615



Decor: Color black

<b>Dimensions:</b>	mm	inch
Length:	1184	46,61
Width:	320	12,59
Thickness:	7,7	0,30


**Contents of packet:**  
6 Pcs. = 2,27 m<sup>2</sup> / 24,43 sq ft  
Packing unit = 36 packets

**Classification President**

for residential areas with intensive foot traffic      for commercial areas with medium foot traffic

including sound absorbing system

**Cross section of the Maxi V5**





**Flat edge – Elegant flowing look**

Decor: Black pearl



Valley oak white

S.G.

Art. No. 770476



Juparana

S.G.

Art. No. 770407



Diamond oak

S.G.

Art. No. 770439



Summer oak

S.G.

Art. No. 770425



Walnut

S.G.

Art. No. 770420



Walnut

S.G.

Art. No. 770413



Merbau Classic

S.G.

Art. No. 770402



Rio Palisander

S.G.


Art. No. 770421



Freestone

S.G.

Art. No. 770412



Black Pearl

S.G.

Art. No. 770406

Dimensions:	mm	inch
Length:	1184	46,61
Width:	185	7,28
Thickness:	7,0	0,28


**Contents of packet:**  
9 Pcs. = 1,97 m<sup>2</sup> / 21,20 sq ft  
Packing unit = 48 packets

**Classification President**

for residential areas with intensive foot traffic	for commercial areas with medium foot traffic

without sound absorbing system

Cross section of the  
Flat edge




# WELLNESS

– always „First Class“ –

## V-grooves – accentuate each and every element

All the flooring in the Wellness Collection offer a wide range of products. The design lacquered V-grooves accentuate the flooring and give each décor a structured, impressive look.





# Flat edge – Traditional flooring

The classic flooring type which offers rooms a harmonious gapless surface



2386 mm  
93,94 inch

236 mm  
9,29 inch

# Long format – Impressive sizes



Valley oak white

WT.

Art. No. 771868



Satin oak

WT.

Art. No. 771829

Decor: Nordic oak



Valley oak nature

WT

Art. No. 771301



Mammoth oak

WT

Art. No. 771836



Diamond oak

WT

Art. No. 7759991



Amber oak

WT

Art. No. 771812



Antique pine

WT

Art. No. 771832



Canyon mountain walnut **1** WT

Art. No. 771875



Nordic oak

WT

Art. No. 771834



Plateau merbau **1**

WT

Art. No. 771874

**1** Only on request!



Oriental oak

WT

Art. No. 771803



Chesnut

WT.

Art. No. 771855


<b>Dimensions:</b>	mm	inch
Length:	2386	93,94
Width:	236	9,29
Thickness:	10,0	0,30

**Content of packet:**  
3 Planks = 1,69 m<sup>2</sup> / 18,19 sq ft  
Packing unit = 50 packets

**Classification President**

for residential areas with intensive foot traffic	for commercial areas with medium foot traffic

without sound absorbing system



# Maxi-Format – quick and simple to install



Decor: German oak



Valley oak white

W.T.

Art. No. 773868



Satin oak

W.T.

Art. No. 773829



Valley oak nature

W.T.

Art. No. 773867



Antique pine

W.T.

Art. No. 773832





Diamond oak W.T. Art. No. 773802



Amber oak W.T. Art. No. 773812



Nordic oak W.T. Art. No. 773834



Canyon mountain walnut **1** W.T. Art. No. 773875



Oriental oak W.T. Art. No. 773803



Plateau Merbau **1** W.T. Art. No. 773874



Chesnut W.T. Art. No. 773855



Mammoth oak W.T. Art. No. 773836

**1** Only on request!

<b>Dimensions:</b>	mm	inch
Length:	1184	46,61
Width:	236	9,29
Thickness:	10,0	0,39

**Contents of packet:**  
6 Pcs. = 1,68 m<sup>2</sup> / 18,08 sq ft  
Packing unit = 48 packets


**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic


without sound absorbing system


**Cross section of the Maxi V4**





**Maxi V5 – tile format with a  
melange of gloss grades**






Color white D.F. Art. No. 772816



Vulcano D.F. Art. No. 772860



Salina D.F. Art. No. 772861



Rembrandt D.F. Art. No. 772862



Concrete D.F. Art. No. 772838



Black Pearl D.F. Art. No. 772860



Copper D.F. Art. No. 772865



Color black D.F. Art. No. 772815



Slate D.F. Art. No. 772864



Freestone D.F. Art. No. 772812

<b>Dimensions:</b>	mm	inch
Length:	1184	46,61
Width:	320	12,59
Thickness:	7,7	0,30


**Contents of packet:**  
6 Pcs. = 2,27 m<sup>2</sup> / 24,43 sq ft  
Packing unit = 36 packets

**Classification President**

for residential areas with intensive foot traffic	for commercial areas with medium foot traffic

including sound absorbing system

**Cross section of the Maxi V5**





**Flat edge –  
simply elegant**

Decor: Pine



Antique white

R.S.

Art. No. 777001



Grey oak

R.S.

Art. No. 777060



Colorado

R.S.

Art. No. 775344



Nordic oak

R.S.

Art. No. 777047



Satin oak

R.S.

Art. No. 777009



Golden maple

R.P.

Art. No. 775001



Summer oak R.S. Art. No. 777025



Silver oak R.S. Art. No. 777041



Castle oak R.S. Art. No. 777011



Elm R.S. Art. No. 777035



Tower oak R.S. Art. No. 777026



Moor oak R.S. Art. No. 777028



Mammoth oak R.S. Art. No. 777036



Pott oak R.S. Art. No. 777042



Wenge R.S. Art. No. 777030



Pine R.S. Art. No. 777031

<b>Dimensions:</b>	mm	inch
Length:	1184	46,61
Width:	185	7,28
Thickness:	7,7	0,30

**Contents of packet:**  
9 Pcs. = 1,97 m<sup>2</sup> / 21,20 sq ft  
Packing unit = 48 packets


**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic

including sound absorbing system

**Cross section of the Flat edge**



# Limited Edition

## The flooring with the fine wood pore surface

The decors in this collection range from white stained to a contrasting decor in dark grey. The surface is furnished with a fine wood pore, which feels warm and friendly to the touch. The Limited Edition is offered in a V-groove series.

**ANTISTATIC**  
Protection



**Kantenschutz**  
Humidity - Protection



**NATURAGRIP**  
Natural - feeling





# Flat edge – traditional flooring

The classic flooring type with a harmonious gapless surface.



**The fine wood pore surface  
with an elegant v-groove**

Decor: Grey oak



Valley oak white

W.T.

Art. No. 774201



Antique white ❶

W.T.

Art. No. 774228



Satin oak

W.T.  
10 mm ❶

Art. No. 774229  
Art. No. 774429



Valley oak nature

W.T.

Art. No. 774202





Elm light ❶ W.T. Art. No. 774435



Nostalgic grey oak W.T. 10 mm ❶ Art. No. 774205 Art. No. 774405



Nostalgic natural oak W.T. 10 mm ❶ Art. No. 774204 Art. No. 774404



Grey oak W.T. 10 mm ❶ Art. No. 774260 Art. No. 774460



Diamond oak W.T. Art. No. 774211



Nordic oak W.T. 10 mm ❶ Art. No. 774234 Art. No. 774434


❶ Only on request!

Dimensions:	mm	inch	Dimensions:	mm	inch
Length:	1294	50,95	Length:	1184	0,95
Width:	185	7,28	Width:	185	7,28
Thickness:	8,0	0,32	Thickness:	10,0	0,39

**Contents of packet:**  
 8 Pcs. = 1,92 m<sup>2</sup> / 20,67 sq ft  
 Packing unit = 64 packets

**Contents of packet:**  
 7 Pcs. = 1,53m<sup>2</sup> / 16,47 sq ft  
 Packing unit = 56 packets

Cross section of the V4



without sound absorbing system

**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic





German oak

W.T.  
10 mm ❶

Art. No. 774206  
Art. No. 774406



Summer oak

W.T.  
10 mm ❶

Art. No. 774225  
Art. No. 774425



Oak full plank ❶

W.T.

Art. No. 774271



Sessile oak

W.T.

Art. No. 774273



Oriental oak

W.T.  
10 mm ❶

Art. No. 774243  
Art. No. 774443



Tower oak ❶

W.T.

Art. No. 774426



Chesnut

W.T.  
10 mm ❶

Art. No. 774255  
Art. No. 774455



Mammoth oak

W.T.  
10 mm ❶

Art. No. 774236  
Art. No. 774436



Tobacco oak ❶

W.T.  
10 mm ❶

Art. No. 774247  
Art. No. 774447



Amber oak

W.T.

Art. No. 774212



Western oak

W.T.  
10 mm ❶

Art. No. 774232  
Art. No. 774432



Canyon mountain walnut

W.T.

Art. No. 774275



Walnut 3-strip ❶ W.T. Art. No. 774213



Valley oak grey W.T. Art. No. 774203



Plateau merbau W.T. Art. No. 774274



Elm ❶ W.T. Art. No. 774259




Cumaru W.T. Art. No. 774272



Pott oak ❶ W.T. Art. No. 774242



Meerbau classic ❶ W.T. Art. No. 774427



Walnut virginia ❶ W.T. Art. No. 774214



Silver oak ❶ W.T. Art. No. 774441


❶ Only on request!

Dimensions:	mm	inch	Dimensions:	mm	inch
Length:	1294	50,95	Length:	1184	46,95
Width:	185	7,28	Width:	185	7,28
Thickness:	8,0	0,32	Thickness:	10,0	0,39

**Contents of packet:**  
 8 Pcs. = 1,92 m<sup>2</sup> / 20,67 sq ft  
 Packing unit = 64 packets

**Contents of packet:**  
 7 Pcs. = 1,53m<sup>2</sup> / 16,47 sq ft  
 Packing unit = 56 packets

Cross section of the V4



without sound absorbing system

**Classification President**

for residential areas with intensive foot traffic      for commercial areas with medium foot traffic





**Pleasant look –  
pure comfort**



Decor: Silver oak



Valley oak white W.T. Art. No. 792168



Antique white W.T. Art. No. 792146



Valley oak nature W.T. Art. No. 792167



Nostalgic grey oak W.T. Art. No. 792170



Grey oak W.T. Art. No. 792160



Nordic oak W.T. Art. No. 792134



Elm light W.T. Art. No. 792161



Nostalgic natural oak W.T. Art. No. 792169



**Dimensions:** mm inch  
 Length: 1299 51,14  
 Width: 190 7,48  
 Thickness: 7,0 0,28

**Contents of packet:**  
 9 Pcs. = 2,22 m<sup>2</sup> / 23,90 sq ft  
 Packing unit = 48 packets


**Classification President**

for residential areas with intensive foot traffic

for commercial areas with medium foot traffic

without sound absorbing system

**Cross section of the Flat edge**





Decor: Pott oak



German oak W.T. Art. No. 792106



Silver grey W.T. Art. No. 792141



Carbonized bamboo W.T. Art. No. 792140



Valley oak grey ❶ W.T. Art. No. 792166



Oriental oak W.T. Art. No. 792147



Elm ❶ W.T. Art. No. 792132



Western oak W.T. Art. No. 792135



Pottoak W.T. Art. No. 792142



Walnut 3-strip ❶ W.T. Art. No. 792129



Meerbau Classic ❶ W.T. Art. No. 792182

❶ Only on request!


<b>Dimensions:</b>	mm	inch
Length:	1299	51,14
Width:	190	7,48
Thickness:	7,0	0,28

**Contents of packet:**  
 9 Pcs. = 2,22 m<sup>2</sup> / 23,90 sq ft  
 Packing unit = 48 packets

**Classification President**

for residential areas with intensive foot traffic	for commercial areas with medium foot traffic

without sound absorbing system







# MOULDINGS & ACCESSORIES

For flooring




# UMA-mouldings



## Profile skirting



2600 x 40 x 20 mm



2600 x 58 x 20 mm



Golden maple R.P.  
1 658724  
2 658634



Antique white R.P., S.G.  
1 658734  
2 658826



Carbonized bamboo S.C., S.G.  
1 658833  
2 658821



Mountain cherry R.P., S.G.  
1 658841  
2 658829



Black Pearl S.G.  
1 658779




Colorado S.C.  
1 658884



Color Black S.G.  
1 658815



Color ELESGO red S.G.  
1 658814



Color White S.G.  
1 658816



German oak R.P.  
1 658895



Satin oak R.P.  
1 658859



Grey oak R.P.  
1 658886



Mammoth oak R.P.  
1 658890



Nordic oak R.P.  
1 658854



Oriental oak R.P.  
1 658853



Silver oak R.P., S.C.  
1 658856  
2 658881



Tobacco oak R.P., S.C.  
1 658858, 658883  
2 658543




Western oak R.P.  
1 658852



Freestone S.G.  
1 658717



Juparana S.C., S.G.  
1 658835  
2 658712



Concrete R.P.  
1 658891



Merbau Classic R.P., S.G.  
1 658743  
2 658776



Moor oak R.P., S.G.  
1 658849  
2 658827



Walnut R.P., S.G.  
1 658753  
2 658719



Walnut 3-strip R.P.  
1 658850



Pine R.P.  
1 658851



Antique pine R.P.  
1 658887



Pott oak R.P., S.C.  
1 658857  
2 658882



Rio Palisander S.C., S.G.  
1 658836  
2 658823



Salina R.P.  
1 658893



Castle oak R.P.  
1 658728



Summer oak R.P.  
1 658846



Tower oak R.P.  
1 658847



Elm R.P.  
1 658855



Elm light R.P.  
1 658889

# Inside & outside Corner and End caps



Walnut  
1 658822

S.G.



Wenge  
1 658824

S.C.

## Corners for profile skirting, uni (20 x 40 mm)



A = Outside Corner



I = Inside Corner



E = End cap



Beige  
I 061601  
A 061631  
E 061661



Alu  
I 061600  
A 061630  
E 061660



Dark brown  
I 061607  
A 061637  
E 061667



Tan  
I 061636  
A 061666  
E 061606



Pearlgold  
I 061602  
A 061632  
E 061662



White  
I 061618  
A 061648  
E 061678

## Corners for profile skirting, identical decors (20 x 40 mm)



Maple  
I 061614  
A 061644  
E 061674



Golden maple  
I 061624  
A 061654  
E 061684



Beech  
I 061613  
A 061643  
E 061673



Oak  
I 061611  
A 061641  
E 061671



Alder  
I 061619  
A 061649  
E 061679



Golden oak  
I 061623  
A 061653  
E 061683



Juparana  
I 061621  
A 061651  
E 061681



Cherry  
I 061616  
A 061646  
E 061676



Country summer beech  
I 061628  
A 061658  
E 061688



Merbau Classic  
I 061629  
A 061659  
E 061689




Castle oak  
I 061617  
A 061647  
E 061677



Root birch  
I 061609  
A 061639  
E 061669


# UMA-mouldings



## Rounded skirting



2600 x 58 x 16 mm



Fast and easy assembly!



Antique white  
R.P. 658934  
S.G. 659034




Carbonized bamboo  
S.C. 659069




Color Black  
S.G. 659015




Color CRESGO red  
S.G. 659014



Color White  
S.G. 659016




Color White Arktis  
S.G. 659031




Colorado  
S.C. 659076



German oak  
R.P. 658906



Satin oak  
R.P. 658929  
S.G. 659019



Grey oak  
R.P. 658930



Mammoth oak  
R.P. 658936



Nordic oak  
S.C. 658958



Oriental oak  
R.P. 658957




Silver oak  
R.P. 658960  
S.C. 659073



Tobacco oak  
R.P. 658962  
S.C. 659075



Western oak  
R.P. 658956



Concrete  
R.P. 658938



Copper  
R.P. 659093



Merbau Classic  
R.P. 658943



Moor oak  
S.G. 659049



Moselaner Walnus  
R.P. 658975



Nostalgic grey oak  
R.P. 658970



Nostalgic natural oak  
R.P. 658969



Walnut 3-strip  
R.P. 658950



Pine  
R.P. 658955



Antique pine  
R.P. 658932



Pott oak  
R.P. 658961  
S.C. 659074



Rembrandt  
R.P. 659090



Rio Palisander  
S.G. 659023



Salina  
R.P. 659089



Limestone  
R.P. 659091



Slate  
R.P. 659092



Castle oak  
R.P. 658928



Summer oak  
R.P. 658939


# Inside & outside corner and end caps



Valley oak nature  
R.P. 658967



Valley oak grey  
R.P. 658966



Valley oak white  
R.P. 658968



Elm  
R.P. 658959



Elm light  
R.P. 658935



Vulcano  
R.P. 659087



Walnut  
S.G. 659022



Wenge  
R.P. 658925

## Corners for rounded skirting uni (58 x 16 mm)




A = Outside corner



I = Inside corner



E = End cap



Creme  
I 659100  
A 659130  
E 659160



Oak  
I 659104  
A 659134  
E 659164



Whitewashed oak  
I 659105  
A 659135  
E 659165



Cherry  
I 659106  
A 659136  
E 659166



Walnut  
I 659107  
A 659137  
E 659167



Black  
I 659103  
A 659133  
E 659163



Silver  
I 659102  
A 659132  
E 659162



White  
I 659101  
A 659131  
E 659161



## Skirting with furnitre & surface (2600x40x20 mm)



Walnut 658806



White 658773



Wenge 658808


# UMA-mouldings



## Renovation skirting




2600 x 100 x 12 mm  
VP10



Beech  
659313



2600 x 112 x 12 mm  
VP10



Whitelower  
659349

Corner solution for renovation skirting, can be cut to size  
(Art No. 642005 – 2 Pcs. 125x22x22 mm)





## Skirting Hamburg MDF



2600 x 58 x 19 mm  
642004



2600 x 70 x 19 mm  
642001



2600 x 96 x 19 mm  
642002



2600 x 115 x 19 mm  
642003

## Corner solution Hamburg Skirting, can be cut to size (Art No. 642005 – 2 Pcs. 125x22x22 mm)



# UMA-mouldings



## Skirting



2600 x 70 x 18 mm  
VP 5



Carrara white R.P.  
652030




Barolo oak R.P.  
652015



Amber oak R.P.  
652012



Satin oak R.P.  
652017



Diamond oak R.P.  
652011



Mammoth oak R.P.  
652016



Oak Nodic R.P.  
652013



Walnut virginia R.P.  
652014



Vintage white R.P.  
652010



## Skirting classic



2600 x 110 x 15 mm  
VP 5



Golden maple ❶ R.P.  
658924



Carbonized bamboo ❶ S.G.  
658915



Mountain cherry ❶ R.P., S.G.  
1 658913, 2 658919




Colorado ❶ S.C., S.G.  
1 658994, 2 659002



Color black ❶ S.G.  
658991



Color white ❶ S.G.  
658920



Color white Arktis ❶  
S.G. 658996



German oak ❶ R.P.  
658993



Satin oak ❶ R.P.  
658992



Diamond oak ❶ R.P.  
658997



Mammoth oak ❶ R.P.  
658921



Nordic oak R.P.  
658900



Oriental oak ❶ R.P.  
658995



Merbau classic ❶ R.P.  
658910



Nostalgic natural oak ❶ R.P., S.G.  
1 658998, 2 659004



Walnut ❶ R.P.  
658990




Rio Palisander ❶ S.G.  
658917



Summer oak ❶ R.P.  
658904



Valley oak grey ❶ R.P.  
659001



Valley oak natural ❶ R.P.  
658979



Walnut ❶ S.G.  
658918




Wenge R.P.  
658923

❶ Only on request!





## UMA real wood skirting




**1** 2500 x 40 x 20 mm  
VP10



**2** 2500 x 45 x 22 mm  
VP10

**3** 2500 x 58 x 20 mm  
VP10


**4** 2500 x 80 x 16 mm  
VP10




Maple  
① 714755  
② 714770  
③ 714555  
④ 714780



Beech  
① 714757  
② 714771  
③ 714557  
④ 714781



Oak  
① 714754  
② 714772  
③ 714554  
④ 714782



Cork varnished  
① 714758

The core of the real wood skirting is made of a pine wood and is wrapped with a wood veneer. The surface is finished with an environmentally friendly lacquer. The look of the wood types range from decent quality to natural looking rustic finishes.


# Plastic mouldings



## Cable channel



2500 x 50 x 20 mm



Maple  
064910



White  
064900



Beech  
064912



Oak  
064917

## Inside & outside corner and end caps



A = Outside corner



I = Inside corner



E = End caps



Maple  
I 064940  
A 064960  
E 064980



Beech  
I 064942  
A 064962  
E 064982



Oak  
I 064947  
A 064967  
E 064987




White  
I 064930  
A 064950  
E 064970



## Clamping skirting



2500 x 60 x 22 mm



Beech  
064532



Oak  
064537



Light grey  
064501



Rustic  
064538



Black  
064507

## Inside & outside corner and end caps



A = Outside Corner

I = Inside Corner

E = End cap



Beech  
I 064612  
A 064642  
E 064672



Oak  
I 064617  
A 064647  
E 064677



Light grey  
I 064601  
A 064631  
E 064661



Rustic  
I 064618  
A 064648  
E 064678



Black  
I 064607  
A 064637  
E 064667



White  
I 064600  
A 064630  
E 064660

# Plastic mouldings



## Injected skirting



2500 x 48 x 20 mm



Beech  
064332



Oak  
064337



Ash grey  
064353



Esche white  
064351



Pine  
064331



Rustic  
064338



White  
064300

## Inside & outside corner and end caps for injected skirting



A = Outside Corner



I = Inside Corner



E = End cap



Beech  
I 064712  
A 064742  
E 064772



Oak  
I 064717  
A 064747  
E 064777



Ash grey  
I 064723  
A 064753  
E 064783




Esche white  
I 064721  
A 064751  
E 064781



Pine  
I 064711  
A 064741  
E 064771



Rustic  
I 064718  
A 064748  
E 064778



White  
I 064700  
A 064730  
E 064760



## Injected skirting



2500 x 60 x 15 mm



Beech  
064032



Oak  
064037



Ash grey  
064053



Light grey  
064001




Black  
064007



White  
064000

## Carpet skirting



2500 x 50 x 15 mm



Beech  
064232



Oak  
064237



Ash grey  
064253



Light grey  
064201



Rustic  
064238



Black  
064207



White  
064200

## Injected quarter round



2500 x 14 x 14 mm



Beech  
064432



Oak  
064437



Light grey  
064401



Rustic  
064438




Black  
064407



White  
064400

# White mouldings (wrapped MDF)

**Profile skirting**  
Grinding paint white



2600 x 40 x 20 mm 658709  
2600 x 58 x 20 mm 658609

**Rounded skirting**  
Uni white



2600 x 58 x 16 mm 658988

**Skirting**  
Uni white



2600 x 50 x 18 mm 652109  
2600 x 70 x 18 mm 652009

**Skirting**  
Uni white



2600 x 60 x 10 mm 641621

**Skirting MDF**  
Uni white



2600 x 76 x 18 mm 642010

**Parkett skirting**  
Structure white




2600 x 47 x 17 651019

**Skirting**  
Uni white



2600 x 60 x 12 mm 641921

**Paneling edge mouldering**  
Grinding paint white




2600 x 35 x 17 mm 640903

**Renovation skirting**  
Uni white



2600 x 100 x 12 mm 659321  
2600 x 112 x 12 mm 659337

**Inside corner moulding**  
Uni white



2600x16x16 mm 658221  
2600x24x24 mm 658321

**Skirting Hamburg**  
Uni white



2600 x 58 x 19 mm 642004  
2600 x 70 x 19 mm 642001  
2600 x 96 x 19 mm 642002  
2600 x 115 x 19 mm 642003

**Outside corner moulding**  
Uni white



2600 x 22 x 22 mm 651421  
2600 x 32 x 32 mm 651821  
2600 x 42 x 22 mm 656621

**ELESGO® Skirting**  
Grinding paint white



2600 x 110 x 15 mm 658907

**Cover strip**  
Uni white



2600x25x6 mm 651721

**Quarter round**  
Uni white



2600x12x12 mm 658121

**Multi-use moulding**  
Uni white



2600x44 mm 651521


## Pine mouldings painted white

**Skirting Hamburg**



2600 x 70 x 19 mm 603080  
2600 x 96 x 19 mm 603081  
2600 x 115 x 19 mm 603082

**Zierhohlkehlleiste**



2600 x 29 x 29 mm 603061

**Quarter round**



2400 x 14 x 14 mm 603001  
2400 x 18 x 18 mm 603002

**Multi-use moulding**



2400 x 27 x 27 mm 603030  
2400 x 33 x 19 mm 603031

## MOUNTING CLIP FOR MANY PROFILES



Moulding clips 061280  
Moulding clips 30 pieces with screws and dowels


### They advantages at a glance

- Easy installation
- Flexible: Mouldings can be removed and replaced anytime
- Gaps for the running of cables behind the mouldings
- Hidden attachments

Screw the clips  
Clips can be dismantled and re-fixed



Mark the point to be drilled  
The template for marking the drilling point ist found on the packaging



Affix the clips – Cut mouldings to measure and press onto the clips



Moulding dowels 061290  
Moulding dowels 50 pieces with template

Easy installation:  
Hole (about 6 mm in diameter) drill through the corresponding hole in the template.  
Drill a hole approximately 40mm deep (the dowel can be shortened) and then gently knock the dowels into the wall and affix the moulding.



Moulding adhesive 061111

The professional moulding adhesive can be used where mouldings need to be glued. The adhesive can be used on walls or floors and is a safe and strong. Thanks to the strength of the adhesive and the short drying time, a quick and safe installation is possible. The professional adhesive should be applied to the moulding or profile, left to dry slightly and then pressed onto the corresponding surface.

One can surely affix the moulding in the traditional way by nailing or screwing. They can also be attached in corners by cutting them at a 45 degree angle on each side using a mitre saw. The nailing of mouldings may be the quickest way to affix mouldings, but the negative side to this method is that the nail heads are visible and nailing does not work with very hard walls. Screwing presents a similar problem, as the screw head would ruin the finish.

## DAZU®-Sound absorber



PE-Sheeting  
(10 und 25 m<sup>2</sup> Rollen)



Foam sheeting  
(versch. Stärken und Rollen)



ProfiAkustik  
(15 m<sup>2</sup> Rolle)



PremiumAkustik  
(7 m<sup>2</sup> Rolle)



Predecta Sound absorber  
(25 m<sup>2</sup> Rolle)



Cork underlay  
(10 m<sup>2</sup>)









ProStabilo  
(16,5 m<sup>2</sup> Rolle)



ProSilencio  
(15 Platten = 7 m<sup>2</sup>)



LVT Acoustic Silent  
(10 m<sup>2</sup> Rolle)

						
	Footfall	Subsonic noise insulation	Compatibility with underfloor heating	Moisture prediction	Pressure stability	Druckstabilität
Premium Akustik	*****	***	*****	*****	***	*****
Profi Akustik	****	*****	*****	-	**	***
Cork underlay	*	***	****	-	**	**
Foam sheeting 2 mm thick	*	**	***	-	*	*
Foam sheeting 4 mm thick	*	***	****	-	**	*
Predecta	*	*	**	*****	*	*
Pro Stabilo	***	****	*	-	*****	****
Pro Silencio	**	*****	*	-	*****	***
LVT Acoustic Silent	***	***	*****	-	*	*****

\*\*\*\*\* = very good    \*\*\*\* = good    \*\*\* = satisfactory



## UNDERLAY (LxBxH)

061013	Dampproof barrier foil Roll 25 m <sup>2</sup> , 25m x1m x 0,2mm
061014	Dampproof barrier foil Roll 10 m <sup>2</sup> , 10m x1 m x 0,2mm
061020	Foam sheeting Roll 25 m <sup>2</sup> , 25m x 1m x 2mm
061024	Foam sheeting Roll 10 m <sup>2</sup> , 10m x 1m x 2mm
061025	Foam sheeting Roll 25 m <sup>2</sup> , 25m x 1m x 4mm
061027	ProfiAkustik Sound absorber Roll 15 m <sup>2</sup> , 15m x 1m x 2mm
061033	PremiumAkustik Roll 7 m <sup>2</sup> , 7m x 1m x 2,25mm
061030	Predecta-Sound absorber Roll 25 m <sup>2</sup> , 25m x 1m x 2mm
061054	Cork underlay Roll 10 m <sup>2</sup> , 10m x 1m x 2mm
061077	ProStabilo Roll 16,5 m <sup>2</sup> , 15m x 1,1m x 2,2mm
061066	ProSilencio 15 Platten = 7 m <sup>2</sup> , Tiles 79cm x 59cm x 4mm
061067	ProSilencio 15 Platten = 7 m <sup>2</sup> , Tiles 79cm x 59cm x 5mm
061044	LVT Accoustic Silent Roll 10 m <sup>2</sup> , 10m x 1m x 1,4mm



## Tools

### TOOLS

061569	DAZU® Publishing help Fixation
061560	DAZU® Publishing tool set Standard
061569	Publishing hel Fixation
061506	Wedges Holz 20 St.
064399	Clips for skirting profile 50 St.
061290	Owels for skirting 50 St.
061299	Owels for skirting 1.000 St.
061505	Profi wedges Plastic 16 St.
061295	Template for skirting dowels loos
061503	Tapping block
061500	Bat Standard
061561	Installation Tool Set
061531	Crowbar Profi
061501	Crowbar Standard



## Floor profiles

With the durable, matching flat floor covering joints, you can cover ugly expansion gaps and entrances to other rooms. Rooms with flooring of different heights (laminates to carpet/PVC or to tiling) are covered with a stepped floor covering joint. The installation is done quickly and professionally with the use of special dowels or clips on rails which are affixed to the floor.

### Flat floor covering joints

in two lengths, matching decors or anodized aluminium  
900 x 40 mm + 2700 x 40 mm



### Stepped floor covering joint

in two different lengths, the same decor or anodized  
900 x 38 mm + 2700 x 38 mm



# Decor overview flooring profiles



Golden maple



Antique white



Knotty beech



Carbonized bamboo



Mountain cherry



Black Pearl



Carrara white



Colorado



Color black



Color ELESKO red



Color white



Color White Arktis



German oak



Amber oak



Barolo oak



Satin oak



Diamond oak



Grey oak



Mammoth oak



Nordic oak



Oriental oak



Silver oak



Tobacco oak



Western oak



Freestone



Golden yew



Golden oak



Juparana



Cherry



Country beech



Merbau Classic



Moor oak



Nostalgic grey oak



Nostalgic natural oak



Walnut



Walnut virginia



Olive



Pine



Antique pine



Pott oak



Rembrandt



Rio Palisander



Salina



Castle oak




Summer oak



Stab Beech




Strip alder



Valley oak grey



Valley oak nature



Valley oak white



Tower oak



Elm



Vintage white



Walnut

# Overview flooring profile

## Stepped floor cover joint 900 mm Length

061847	Antik white	R.P.	069811	Nordic oak	R.P.	069801	Olive	R.S.
069803	Knotty beech	R.S.	069812	Oriental oak	R.P.	069816	Pine	R.P.
061738	Carbonized bamboo	S.G.	069813	Silver oak	R.P.	069708	Antique pine	R.S.
061750	Carbonized bamboo	S.C.	069815	Tobacco oak	R.P.	069810	Pott oak	R.P.
069802	Mountain cherry	R.S.	069814	Western oak	R.P.	069712	Rembrandt	D.F.
061746	Black	S.G.	061744	Freestone	S.G.	061748	Rio Palisander	S.G.
069703	Carrarra white	S.G.	061732	Golden yew	S.G.	069704	Salina	D.F.
069818	Colorado	S.C.	061823	Golden oak	R.P.	061841	Castle oak	R.P.
069841	Color Black	S.G.	061740	Juparana	S.G.	069805	Summer oak	R.S.
069842	Color Elesgo red	S.G.	061736	Cherry	S.G.	061731	Strip beech	S.G.
069840	Color white	S.G.	061825	Country-, Summer beech	R.P.	061803	Strip beech	R.P.
069701	Color white arktis	S.G.	061735	Merbau classic	S.G.	069713	Valley oak grey	W.T.
069709	German oak	R.S.	061826	Merbau classic	R.P.	069714	Valley oak nature	W.T.
069718	Barolo oak	S.M.	069809	Moor oak	R.P.	069715	Valley oak Weiss	W.T.
069710	Amber oak	S.M.	069717	Nostalgic grey oak	W.T.	069806	Tower oak	R.S.
069707	Satin oak	R.S.	069716	Nostalgic natural oak	W.T.	069817	Elm	R.P.
069705	Diamond oak	S.M.	061734	Walnut	S.G.	069702	Vintage Weiss	S.M.
069706	Grey oak	R.S.	061842	Walnut	R.P.	061739	Walnut	S.G.
069711	Mammoth oak	R.S.	069719	Walnut virginia	S.M.			

## Stepped floor cover joint 2700 mm Length – R.P.

061924	Golden maple
061926	Merbau classic
061903	Strip beech
061909	Strip alder

## 2700 mm Länge – eloxiert

061407	Bronce
061405	Gold

## Stepped floor cover joint 900 mm Length – anodized

061403	Bronce
061401	Gold
061402	Silver

## Accessories for rails

061499	Spare plugs for rails	15 Stück
061494	Fastening shoes 6–9 mm	18 Stück
061495	Fastening shoes 10–16 mm	18 Stück
061490	Fastening track 900 mm	
061492	Fastening track 2700mm	



## Flat floor cover joint 900 mm Lenght

061894	Golden maple	R.P.	069761	Mammoth oak	R.S.	069769	Walnut virginia	R.S.
061857	Antique white	R.P.	069861	Nordic oak	R.P.	069851	Olive	R.P.
069853	Knotty beech	R.S.	069862	Oriental oak	R.P.	069866	Pine	R.S.
061787	Carbonized bamboo	S.G.	069863	Silver oak	R.P.	069758	Antique pine	R.P.
061800	Carbonized bamboo	S.C.	069865	Tobacco oak	R.P.	069860	Pott oak	D.F.
061796	Black Pearl	S.G.	069864	Western oak	P.R.	069762	Rembrandt	S.G.
069753	Carrarra white	S.G.	061794	Freestone	S.G.	061798	Rio Palisander	D.F.
069868	Colorado	S.C.	061781	Golden yew	S.G.	069754	Salina	R.P.
069891	Color Black	S.G.	061893	Golden oak	S.G.	061850	Castle oak	R.S.
069892	Color Elesgo red	S.G.	061790	Juparana	R.P.	069855	Summer oak	S.G.
069890	Color White	S.G.	061785	Cherry	S.G.	061780	Stab Beech	R.P.
069751	Color White Arktis	S.G.	061895	Country-, Summer beech	R.P.	061873	Stab Beech	W.T.
069852	Decor mountain cherry	R.S.	061784	Merbau Classic	S.G.	069763	Valley oak grey	W.T.
069759	German oak	R.S.	061896	Merbau Classic	R.P.	069764	Valley oak nature	W.T.
069768	Barolo oak	S.M.	069859	Moor oak	W.T.	069765	Valley oak white	R.S.
069760	Amber oak	S.M.	069767	Nostalgic grey oak	W.T.	069856	Tower oak	R.P.
069757	Satin oak	R.S.	069766	Nostalgic natural oak	S.G.	069867	Elm	S.M.
069755	Diamond oak	S.M.	061783	Walnut	R.P.	069752	Vintage Weiss	S.G.
069756	Grey oak	R.S.	061851	Walnut	S.M.	061788	Walnut	S.G.

## Flat floor cover joint 2700 mm Lenght – R.P.


061994	Golden maple
061995	Country beech
061973	Strip beech
061909	Strip alder

## 2700 mm Lenght – anodized

061487	Bronze
061485	Gold
061486	Silver

## Flat floor cover joint 900 mm Lenght – anodized




061483	Bronze
061481	Gold
061482	Silver



# Flooring profiles



## Floor-end U-Profile



### Floor-end U-Profile

1000 x 30 x 9 mm – anodized

061413	Bronze
061411	Gold
061412	Silver




### Floor-end U-Profile

2700 x 30 x 9 mm – anodized

061417	Bronze
061415	Gold
061416	Silver

Anodized u-profiles in gold, silver and bronze colours provide a clean finish at thresholds and edges. Also for the renovation of stairs, we offer the special stair nose profile. Ideal for different steps and all staircase forms. A stylish solution.

## Stair nose



### Stair nose

1000 mm Länge – anodized

061433	Bronze
061431	Gold
061432	Silver

### Stair nose

2700 mm Länge – anodized

061437	Bronze
061435	Gold
061436	Silver



### Hole cover

for heating pips, 15 mm (Plastic)

061222	Maple/Pine
061221	Beech
061220	Oak
061223	Grey
061225	Black

### Hole cover

for heating pips, 15 mm (Plastic)

061232	Maple/Pine
061231	Beech
061230	Oak
061233	Grey
061235	Black
061234	White

### Scratch glosser

Reparatur Super gloss, pin

061195	Scratch glosser
--------	-----------------

### Hole cover

for heating pips, 15 mm (Real wood)

061322	Maple
061320	Oak
061323	Merbau


### Hole cover

for heating pips, 15 mm (Real wood)

061352	Maple
061351	Beech
061350	Oak
061353	Merbau



## Further brochures material



### Flooring

Art. Nr. Catalogue 890622  
Art. Nr. Overview 890257



### Wall & Ceiling

Art. Nr. Catalogue 890244  
Art. Nr. Overview 890256



### Furniture & solid wood

Art. Nr. Catalogue 890615  
Art. Nr. Overview 890255

**HDM GmbH**  
Am Schürmannshütt 23  
D-47441 Moers

info@hdm.info  
hotline: +49 180 3353746\*  
(0,09 €/min. aus dem deutschen Festnetz,  
aus dem Mobilfunknetz ggf. höher)

[www.hdm.info](http://www.hdm.info)

